

# ECORK<sup>®</sup>

## PROJECTED CORK

### ECORK HD

#### SAFETY DATA SHEET ACCORDING TO REGULATION (EU) NO. 1907/2006

#### SECTION 1: Identification of the substance / mixture and of the company / undertaking

##### 1.1 PRODUCT IDENTIFIER

ECORK HD - Projected Cork

##### 1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Use:

Coating material

For details of the identified uses according to REACH-Regulation (EU) No. 1907/2006 refer to the annex of this safety data sheet.

##### 1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Company: PINTURAS KILNHER C/ Llanterners 44. P.I. La Figuera  
46394 Alaquas - Valencia - Spain

Phone: +34 96 1505024

E-mail: kilnher@kilnher.com

#### SECTION 2: Hazards identification

##### 2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

Regulation (EC) No 1272/2008

No classification in accordance with the Regulation (EC) No. 1272/2008.

Directive 67/548/EEC or 1999/45/EC

No classification according to EC Directives 67/548/EEC or 1999/45/EC.

##### 2.2 LABEL ELEMENTS

Regulation (EC) No 1272/2008

No labeling necessary according to the Regulation (EC) No. 1272/2008.

Directive 67/548/EEC or 1999/45/EC

No labeling is required for this material by the Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (CHIP 4), in accordance with EC Directives.

**2.3 OTHER HAZARDS**

No information available.

**SECTION 3: Composition / information on ingredients**

Type of product: Mixture

**3.2 MIXTURES**

Water-thinnable polyacrylate containing hydroxyl groups.

Candidate List of Substances of Very High Concern for Authorization.

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

**SECTION 4: First aid measures****4.1 DESCRIPTION OF FIRST AID MEASURES**

General advice: Take off all contaminated clothing immediately.

If inhaled: In case of irritation of the respiratory tract seek medical advice.

In case of skin contact: Wash off immediately with soap and plenty of water. Consult a doctor in the event of a skin reaction.

In case of eye contact: Hold the eyes open and rinse with preferably lukewarm water for a sufficiently long period of time (at least 10 minutes). Contact an ophthalmologist.

If swallowed: DO NOT induce the patient to vomit, medical advice is required.

**4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED**

Notes to physician: No information available..

**4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED**

Therapeutic measures: No information available.

**SECTION 5: First aid measures****5.1 EXTINGUISHING MEDIA**

Suitable extinguishing media: Carbon dioxide (CO<sub>2</sub>), Foam, extinguishing powder, in cases of larger fires, water spray should be used.

Unsuitable extinguishing media: High volume water jet.

**5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE**

Burning releases carbon monoxide, carbon dioxide, oxides of nitrogen and traces of hydrogen cyanide. In the event of fire and/or explosion do not breathe fumes.

**5.3 ADVICE FOR FIRE-FIGHTERS**

Firemen must wear self-contained breathing apparatus.

Do not allow contaminated extinguishing water to enter the soil, ground-water or surface waters.

**SECTION 6: Accidental release measures****6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES**

Put on protective equipment (see section 8). Ensure adequate ventilation/exhaust extraction. Keep unauthorized persons away.

**6.2 ENVIRONMENT RELATED MEASURES**

Do not allow to escape into waterways, wastewater or soil.

**6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP**

Take up with absorbent for chemicals or, if necessary with dry sand and store in closed containers.

**6.4 REFERENCE TO OTHER SECTIONS**

For further disposal measures see section 13.

**SECTION 7: Handling and storage****7.1 PRECAUTIONS FOR SAFE HANDLING**

If an annex according to REACH-Regulation (EU) No. 1907/2006 is attached to this MSDS, the general conditions of use are further specified in the corresponding exposure scenarios.

When handling observe the usual precautionary measures for chemicals. Avoid contact with the skin and the eyes.

Keep away from foodstuffs, drinks and tobacco. Wash hands before breaks and at the end of workday. Keep working clothes separately. Change contaminated or soaked clothing.

**7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES**

Keep container tightly closed in a dry and well-ventilated place. Further information on the storage conditions which must be observed to preserve quality can be found in our product information sheet.

Storage class (TRGS 510): 12: Non Combustible Liquids

**7.3 SPECIFIC END USE (S)**

No information available.

**SECTION 8: Exposure controls/personal protection**

If an annex according to Regulation (EU) No. 1907/2006 is attached to this MSDS, the general RMMs are further specified in the corresponding exposure scenarios.

**8.1 CONTROL PARAMETERS**

No information on Exposure Limit Values necessary according to EC directive 2006/121/EG The neutralizing agent is released during processing.

**Derived No Effect Level (DNEL) or Derived Minimal Effect Level (DMEL)**

## 8.2 EXPOSURE CONTROLS RESPIRATORY PROTECTION

Respiratory protection required in insufficiently ventilated working areas and during spraying.

Further recommendations regarding respiratory protection can be found in the individual exposure scenarios in the appendix.

### Hand protection

Suitable materials for safety gloves; EN 374:

Fluorinated rubber - FKM: thickness  $\geq 0,4\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ . Butyl rubber -

IIR: thickness  $\geq 0,5\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Nitrile rubber - NBR: thickness  $\geq 0,35\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ . Recommendation: contaminated gloves should be disposed of.

### Eye protection

Wear eye/face protection.

### Skin and body protection

Wear suitable protective clothing.

## SECTION 9: Physical and chemical properties

### 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	liquid
Colour:	white
Odour:	slight inherent odour
Odour Threshold:	not established
pH:	ca. 8.2 at 22 °C (Determined in a 10 % aqueous solution)
Pour point:	ca. 0 °C - ISO 3016
Initial boiling point:	ca. 96 °C at 1,013 hPa - EG A2
Flash point:	No flash point up to initial boiling point. DIN EN ISO 2719
Evaporation rate:	not established
Flammability (solid, gas):	not established
Burning number:	not applicable
Upper/lower flammability or explosive limits:	1-Butoxy-2-propanol upper: 11.4 %[V] / lower: 1.1 %[V]
Vapour pressure:	ca. 25 hPa at 20 °C - EG A4 ca. 124 hPa at 50 °C - EG A4 ca. 155 hPa at 55 °C - EG A4
Vapour density:	not established
Density:	ca. 0,5 -0,7 g/cm <sup>3</sup> at 20 °C - DIN 51757
Miscibility with water:	miscible at 15 °C
Surface tension:	not established
Partition coefficient (n-octanol/water):	not established
Auto-ignition temperature:	not established
Ignition temperature:	ca. 410 °C at 980 hPa - DIN 51794
Decomposition temperature:	not established
Viscosity, dynamic:	ca. 83 mPa.s at 20 °C
Dust explosion class:	not applicable
Oxidising properties:	not established

## 9.2 OTHER INFORMATION

The indicated values do not necessarily correspond to the product specification. Please refer to the technical information sheet for specification data.

## SECTION 10: Stability and reactivity

### 10.1 REACTIVITY

This information is not available.

### 10.2 CHEMICAL STABILITY

No thermal decomposition when stored and handled correctly.

### 10.3 POSSIBILITY OF HAZARDOUS REACTIONS

This information is not available.

### 10.4 CONDITIONS TO AVOID

This information is not available.

### 10.5 INCOMPATIBLE MATERIALS

This information is not available.

### 10.6 HAZARDOUS DECOMPOSITION PRODUCTS

On drying of the coating / hardening release of neutralising agent. (see section 3)

## SECTION 11: Toxicological information

Toxicological studies on the product are not yet available.  
Please find below the data available to us:

### 11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

#### Acute toxicity, oral

Polyacrylate dispersion LD50 rat: > 5,000 mg/kg  
Toxicological studies of a comparable product.

#### Primary skin irritation

Polyacrylate dispersion Species: rabbit

Result: non-irritant

Classification: No skin irritation

Toxicological studies of a comparable product.

#### Primary mucosae irritation

Polyacrylate dispersion Species: rabbit

Result: slight irritant

Classification: No eye irritation

Toxicological studies of a comparable product.

#### Sensitisation

Polyacrylate dispersion

Skin sensitization (local lymph node assay (LLNA)): Species: mouse

Result: negative

Classification: Does not cause skin sensitization. Method: OECD Test Guideline 429

Toxicological studies of a comparable product.

**Subacute, subchronic and prolonged toxicity**

No data available.

**Reproductive toxicity / Fertility**

No data available.

**Reproductive toxicity / Teratogenicity**

No data available

**Genotoxicity in vitro**

Polyacrylate dispersion

Test type: Salmonella/microsome test (Ames test) Result: No indication of mutagenic effects.

Method: OECD Test Guideline 471

Toxicological studies of a comparable product.

**Genotoxicity in vivo**

No data available.

**SECTION 12: Ecological information**

Ecotoxicological studies of the product are not available.  
Do not allow to escape into waterways, wastewater or soil.  
Please find below the data available to us:

**12.1 TOXICITY****Acute Fish toxicity**

Polyacrylate dispersion LC50 &gt; 100 mg/l

Species: Danio rerio (zebra fish) Exposure duration: 96 h

Method: OECD Test Guideline 203

Ecotoxicological reports on a comparable product.

**Acute bacterial toxicity**

Polyacrylate dispersion EC50 &gt; 10,000 mg/l

Species: activated sludge

Method: OECD Test Guideline 209

Ecotoxicological reports on a comparable product.

**12.2 PERSISTENCE AND DEGRADABILITY****Biodegradability**

Polyacrylate dispersion

Biodegradation: 5 %, 28 d, i.e. not readily degradable

Method: OECD Test Guideline 301 D

Ecotoxicological reports on a comparable product.

**12.3 BIOACCUMULATIVE POTENTIAL**

No data available.

**12.4 MOBILITY IN SOIL**

No data available.

**12.5 RESULTS OF PBT AND VPVB ASSESSMENT**

No data available.

**12.6 OTHER ADVERSE EFFECTS**

No data available.

**SECTION 13: Disposal considerations**

Dispose in accordance with applicable international, national and local laws, ordinances and statutes.

For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used.

**13.1 WASTE TREATMENT METHODS**

After containers have been emptied as thoroughly as possible (e.g. by pouring, scraping or draining until "drip-dry"), they can be sent to an appropriate collection point set up within the framework of the existing take-back scheme of the chemical industry. Containers must be recycled in compliance with national legislation and environmental regulations.

None disposal into waste water.

**SECTION 14: Transport information****ADR/RID**

14.1 UN number:	Not dangerous goods
14.2 UN proper shipping name:	Not dangerous goods
14.3 Transport hazard class(es):	Not dangerous goods
14.4 Packing group:	Not dangerous goods
14.5 Environmental hazards:	Not dangerous goods

**ADN**

14.1 UN number:	Not dangerous goods
14.2 UN proper shipping name:	Not dangerous goods
14.3 Transport hazard class(es):	Not dangerous goods
14.4 Packing group:	Not dangerous goods
14.5 Environmental hazards:	Not dangerous goods

This classification data does not apply to transportation by tanker. If required, additional information can be requested from the manufacturer.

**IATA**

14.1 UN number:	Not dangerous goods
14.2 UN proper shipping name:	Not dangerous goods
14.3 Transport hazard class(es):	Not dangerous goods
14.4 Packing group:	Not dangerous goods
14.5 Environmental hazards:	Not dangerous goods

**IMDG**

14.1 UN number:	Not dangerous goods
14.2 UN proper shipping name:	Not dangerous goods
14.3 Transport hazard class(es):	Not dangerous goods
14.4 Packing group:	Not dangerous goods
14.5 Environmental hazards:	Not dangerous goods

**14.6 SPECIAL PRECAUTIONS FOR USER**

See section 6 - 8.

Additional information:	Not dangerous cargo. Avoid heat above +30 °C. Avoid temperatures below +5 °C. Keep away from foodstuffs, acids and alkalis.
-------------------------	---

**14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 AND THE IBC CODE**

Not applicable.

## SECTION 15: Regulatory information

### 15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

#### EU Directive 96/82 EC (Seveso II Directive)

Revision: 2003

Listed in regulation: Directive 96/82/EC does not apply.

#### Water contaminating class (Germany)

1 slightly water endangering

(In accordance with Annex 4 to the Directive on Water-Hazardous Substances) Any existing national regulations on the handling of solvents must be observed.

### 15.2 CHEMICAL SAFETY ASSESSMENT

A Chemical Safety Assessment has been carried out for:

## SECTION 16: Other information

### Full text of hazardous (H) warnings referred to under sections 2, 3 and 10 of the CLP classification (1272/2008/CE).

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.

### Full text of R-phrases referred to under sections 2, 3 and 10 of the EU classification (67/548/EEC,1999/45/EC).

R10	Flammable.
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed.
R34	Causes burns.
R36/38	Irritating to eyes and skin.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

#### Further information:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### North America Office:

1223 Camellia Blvd. Suite 200-A  
Lafayette, Louisiana - USA  
70508

eaglecoindust@gmail.com  
337.441.2675

#### CENTRAL AND FACTORY OFFICE

C/ Llanterners 44,  
Pol. Ind. La Figuera  
46970 Alaquas  
Valencia (ESPAÑA)

961 50 50 24  
kilnher@kilnher.com

kilnher